

Joshua Brown,  
Chief Operating Officer  
Toll Free: 1-888-504-7483  
Direct Dial: (205) 801-6020  
Fax: (205) 345-3813  
[Josh@EandATeam.com](mailto:Josh@EandATeam.com)



Mailing:  
P.O. Box 181  
Tuscaloosa, AL 35406  
Shipping:  
1655 N McFarland Blvd, Suite 181  
Tuscaloosa, AL 35406

May 13, 2025

South Carolina State Housing Finance &  
Development Authority  
300-C Outlet Pointe Blvd,  
Columbia, SC 29210

**Re: E&A Team, Inc. Response to the SC Housing Qualifications Package Checklist**

Enclosed please find E&A Team, Inc.'s Qualification Package for South Carolina Housing.

E&A Team's contact information is as follows:

E&A Team, Inc  
P O Box 181  
Tuscaloosa, AL 35406  
Joshua Brown - Chief Operating Officer  
[Josh@EandATeam.com](mailto:Josh@EandATeam.com)  
205-801-6020

E&A Team's Response includes the following:

- This Cover Letter
- References
- Resumes
- Report Samples
- Project List
- Signed Cert. Statement

Thank you for the opportunity to present this Response. We appreciate your time and attention.

Sincerely,

Josh Brown  
Chief Operating Officer

## References

Wallace Architects  
Zac Wallace, Partner  
302 Campusview Drive, Suite 208  
Columbia, MO 65201  
(573) 256-7200  
[zacw@wallacearchitects.com](mailto:zacw@wallacearchitects.com)

Greystone Affordable Development  
Tanya Eastwood, President  
4025 Lake Boone Trail, Suite 209  
Raleigh, NC 27607  
(919) 573-7515  
[tanya.eastwood@greyco.com](mailto:tanya.eastwood@greyco.com)

Vantage Development  
1544 S. Main Street  
Fyffe, AL 35971  
Attn. Jay Ronca, Vice President  
(256) 417-4920, ext. 224  
[jronca@thevantagegroup.biz](mailto:jronca@thevantagegroup.biz)

# LARRY BURTON FLEMING

---



1320 Griffis Ct., St. Leonard, MD 20685  
Home: 443-975-7159, Cell: 202-236-7131  
Work: 888-504-7483, x1250  
Email: larry.fleming08@comcast.net

## Professional Summary

---

Successful architect / consultant on accessibility issues with 30+ years of experience in the field. Excellent knowledge of accessibility laws and standards, with considerable practical experience, and excellent problem solving skills.

## Background / Qualifications

---

- ❖ Born and raised in Danville, Virginia, and graduated University of Virginia School of
- ❖ Architecture (1976).
- ❖ Served two years (1977-1979) in Botswana (Southern Africa) in the Peace Corps, involved in rural development, including the design and construction of schools, health clinics, government facilities, and public housing for an area roughly the size of Maryland.
- ❖ Licensed as a Registered Architect (RA) in the District of Columbia.

## Experience

---

2010 – Present: *E&A Team, Inc.* Tuscaloosa, AL

Consultant for firm specializing in accessibility issues, including plan reviews of proposed work, construction inspections, accessibility inspections, Capital Needs Assessments (CNA), and training. Plan reviews and construction inspections performed for both new construction and renovation / rehabilitation of existing properties. Accessibility site inspections include Self Evaluation / Transition Plans under Section 504 of the Rehab Act and Architectural Barriers Act Accessibility Standard (ABAAS), Americans with Disabilities Act Accessibility Guidelines (ADAAG) reviews for public accommodations, and reviews of properties for compliance with the Fair Housing Amendments Act design requirements. In addition to providing a list of “Findings of Non-Compliance”, often provides recommendations on Corrective Actions to be taken. Have worked to get the CNA industry to include accessibility findings in Capital Needs Assessments of existing buildings. Member of the American Standards for Testing and Materials (ASTM) Accessibility Task Group since 2015, working to incorporate accessibility as a requirement of CNAs. Developed and presented training materials on-site, live, and on-line on a variety of accessibility subjects including Section 504

and UFAS requirements, ABAAS requirements, Fair Housing Amendments Act design requirements, ADAAG requirements for places of public accommodation, and Universal Design for all. Assisted in providing on-line training package for continuing education for architects on the American Institute of Architects (AIA) website, the first training packages offered on accessibility beyond ADA requirements.

1979 – 2009: *United States Department of Agriculture, Rural Development*  
For over 30 years served as an architect for USDA's Rural Development agency (formerly Farmers Home Administration). Retired as a "Senior Architect" in 2009 after spending 23 years in the National Office developing policy and regulations, as well as training field staff. While at USDA, involved in single and multi-family housing, health facilities, "first responder" (fire and police) facilities, and rural businesses. Oversaw development and construction programs for multi- million dollar portfolio of direct and guaranteed loans. Specialized in housing for the elderly, assisted living / congregate facilities, and accessibility for the disabled. Accessibility experience with all four Federal laws (Architectural Barriers Act, Rehabilitation Act, Fair Housing Amendments Act, and Americans with Disabilities Act), and their related standards (ABAAS, UFAS, Fair Housing Guidelines, and ADAAG).

2000 – 2009: *ANSI A117.1 Standards Development Committee*  
Served as one of four individuals representing the Federal government on the American National Standard Institute's ANSI's A-117.1 Committee. This Committee writes and maintains the ANSI A-117.1 standard "Accessible and Usable Buildings and Facilities", which is the accessibility code for the International Code Council (ICC) International Building Code (IBC). (The building code used throughout the U.S.) Member of the Housing Task Force subcommittee for three years.

## Lectures and publications

---

- ❖ Presented lectures on various accessibility topics at national conferences for Multi-Family Housing management companies, owners, and developers.
- ❖ Published articles on accessibility for national association of multi-family housing owners and developers industry publication.
- ❖ Co-author of the on-line training package "*Fair Housing Design Manual Made EZ*", which adds videos and graphics providing additional detail and explanation for the design and construction requirements of the *Fair Housing Design Manual* published by HUD in 1988. (Approved by the American Institute of Architects as Continuing Education for licensed architects.)
- ❖ Presenter at Council of Affordable Rural Housing (CARH) National Convention in Orlando, FL, 1/2012.
- ❖ Presenter at National Association of Housing and Redevelopment Officials (NAHRO) National Conference in Cleveland, OH, 10/2013.

- ❖ Presenter at Council of Affordable Rural Housing (CARH) National Convention in Washington, DC, 6/2014.
- ❖ Presenter at Viridian Accessibility Conference in Portland, OR, 9/2016.
- ❖ Developed training materials and assisted with over 250 training sessions on accessibility requirements for Section 504, Fair Housing, and ADA.

## Depositions, Testimony, and Fees

---

United States v. 2 Gold LLC, TF Cornerstone LLC, et al. (2013)  
 Case No. 2:13-cv-0082 Consent Decree  
 Fair Housing design requirements case. Approved by DOJ as “Neutral Inspector” for Corrective Actions taken by defendants.

United States v. Dawn Properties Inc, et al. (2014)  
 Case No. 1:14-cv-224-LG-JCG  
 Fair Housing design requirements case. Expert Witness for Defendant, report and depositions. Case settled. Corrective actions underway.

Veryl Jefferson v. 3170 LLC et al. (2016)  
 Case No. 8:16-cv-00036-LSC-FG3  
 ADA case. Expert Witness for Defendant, report. Case settled.

Jabari Wright v. RL Liquor (2016)  
 Case No. 8:15-cv-00271  
 ADA case. Expert Witness for Defendant, report and testified at trial. Case dismissed – not “readily achievable”.

Jimmy Barfield v. Bucky’s Inc et al. (2016)  
 Case No. 8:16-cv-18  
 ADA case. Expert Witness for Defendant, report written. Case on-going.

Johnette C. Lewis v. BP Gas Station et al.  
 Case No. 8:15-cv-439  
 ADA case. Expert Witness for Defendant, report written. Case on-going (2016)

Jason Morgan v. Design to Build LLC et al.  
 Case No. 1:16-cv-00768  
 ADA and FHAA case. Expert Witness for Plaintiff, report written. Case on-going (2017)

Compensation for analysis and for testimony at trial and for depositions is \$225 / hour.



**Alva R. George**

## **PROFESSIONAL SUMMARY**

Architectural Professional with over twenty-two years experience in managing and coordinating various Educational Institutions, Healthcare, and Religious Facilities. Proven success working with all levels of management, municipalities, vendors and employees. Adept at bringing optimism to all team efforts.

### **SKILLS**

- Project Coordination
- Capable of Handling Multiple Projects
- MS Office Applications
- Excellent Communication Skills
- Strong Organizational Abilities
- AutoCAD
- Problem Solving
- Scheduling

## **EMPLOYMENT HISTORY**

### **ACCESSIBILITY TEAM MEMBER AND INSPECTOR, 2017 -Present**

#### **E&A Team, Inc., Tuscaloosa, Alabama**

- Perform ADA inspections
- Perform accessibility construction inspections
- Perform accessibility plan reviews

### **CONTRACT WORK, 07/2016 to 4/2017**

#### **Tamra Groh Design-Seattle, Washington**

- Investigate, analyze, and respond to technical inquiries concerning accessibility issues and code research
- Correspond with municipalities on codes and permitting issues
- Conduct initial survey and assessments for residential renovations
- Draft preliminary sketches based on client ideas for residential renovations
- Research vendors for product information

### **PROJECT COORDINATOR, 07/2008 to 03/2009**

#### **Davis Architects-Birmingham, Alabama**

- Project Coordinator on Student Center at Judson College
- Coordinated and conducted site visit meetings with clients to discuss needs
- Managed team consisting of Interior Designer and Architect
- Reviewed construction document package for completeness and potential problems
- Sourced and researched vendors for product information
- Researched and recommended firms for hazardous waste removal
- Responsible for developing construction documents in AutoCAD including specifications
- Created plan presentations for client review using power point
- Revised multiple drawings for various projects consisting primarily of educational institutions
- Consulted & reviewed project for ADA compliance

**PROJECT COORDINATOR & ADA CONSULTANT, 01/2001 to 07/2008**

**Evan Terry Associates-Birmingham, Alabama**

- Experienced in all phases of the architectural process from schematic design to design development to the final stage of producing construction documents in AutoCAD
  - Project Manager of 17,000 SQ. FT. Synagogue (Knesseth Israel)
  - Responsible for small projects of limited scope and complexity
- Developed bid packages, assisted with the bidding & evaluation of bids
- Met with clients and worked with outside consultants
  - Performed construction administration services including site visits, punch lists, RFI and addendums
  - Worked with municipalities to obtain necessary land use and building department approvals and permits
  - ADA surveyor, technical assistance, consultant and accessible design specialist
  - Performed pre-survey planning & final data reports
  - Provided ADA compliance consulting, plan reviews and code analysis
  - Facilities included healthcare, religious facilities, educational institutions, and commercial projects

**PLANS REVIEWER, 04/1999 to 12/2000**

**Chatham County-Savannah, Georgia**

- Reviewed and approved all permit applications
- Checked site plans for drainage, water & sewer availability
- Determined flood elevations, reviewed residential driveways for compliance & verified plats to building site plan requirements
- Provided customer service to public by answering questions regarding the permitting process
- Explained technical problems with applicants regarding proper building structure, recommended solutions for meeting suitable building or zoning codes
- Served as liaison and substituted for the Zoning Administrator
- Performed mathematical calculations to determine appropriate fees
- Reviewed on an average of 90 permits per month

**ASSOCIATE DESIGNER & ADA SPECIALIST, 01/1996 to 04/1999**

**Savannah College of Art & Design (SCAD)-Savannah, Georgia**

ADA Consultant (American's with Disabilities Act) for in-house project management, architectural and interior design team with an annual operating budget of \$25-\$30 million dollars

- Worked closely with historical preservationist to maintain integrity of the historical buildings
- Contributed to the revitalization of 45 commercial buildings located in Savannah's Historical & Victorian Districts
- Identified, analyzed, prioritized and managed the removal of barriers to people with disabilities, as defined by ADAAG and applicable laws.
- Maintained an operational relationship with Accessibility Coordinator to ensure SCAD was operating in accordance with ADA Title III.
- Developed readily accessible procedures to ensure sustainable agency-wide policies, practice and protocols to ensure that emergency plans, programs and procedures meet the requirements of ADA Title III and other applicable laws.
- Coordinated with The City of Savannah to provide accessible sidewalks route to various buildings on Campus.

**EDUCATION**

- Bachelor of Architecture
- Bachelor of Science- Architectural Studies  
Washington State University, Pullman Washington

## **MARK E. ENGLISH**

E&A Team, Inc.  
P.O. Box 70550  
Tuscaloosa, AL 35407  
mark@EandATeam.com  
Work: 888-504-7483, x1130  
Cell: 205-394-8000

### **PROFESSIONAL SUMMARY**

- Over twenty-six years of consulting experience on accessibility issues under the Fair Housing Act, Section 504 of the Rehabilitation Act of 1973, and the Americans with Disabilities Act (ADA), as well as, conventional, state, federal, and low-income housing tax credit programs

### **EXPERIENCE**

#### **E&A TEAM, INC., Tuscaloosa, AL, 1992 – Present, Founder and President**

- Fair housing and accessibility consultant
- Experience with multi-family housing programs, including conventional, state, federal, and low-income housing tax credit programs, around the United States
- Provided over 600 Fair Housing and Accessibility Educational Seminars to government agencies, including the U.S. Department of Justice, U.S. Department of Housing and Community Development/Office of Disability Policy, and USDA Rural Development, National Council of State Housing Agencies (NCSHA), the National Association of Home Builders (NAHB), and major property management firms all over the country
- Assembled team of experts to perform accessibility site inspections and Capital Needs and Physical Needs Assessments (CNAs and PNAs), Accessibility Blueprint Reviews, and Accessibility Site Construction Inspections on multifamily housing complexes
- Partnered with Marshall and Swift to create online construction data interface that allows the electronic gathering of CNA and PNA data on a handheld device which, in turn, allows E&A to merge data with the Marshall and Swift database to create a state of the art construction database retrieval system
- Coordinates and oversees accessibility inspections on over 600,000 multifamily housing units in all 50 states
- Consults with agencies and management companies to help develop fair housing and accessibility policies
- Authored the SourceAbility™ Flash Drive
- Authored the Uniform Federal Accessibility Standards (UFAS) Pocket Edition Manual
- Co-authored the Fair Housing Act Design Manual eBook

#### **ENGLISH & ASSOCIATES, INC., Tuscaloosa, AL 1985-1992, Founder and President**

- Packaged low-income housing developments for clients
- Identified communities in need of low-income housing developments, worked with funding sources, completed funding processes, and coordinated efforts among all members of the development team

### **ORGANIZATIONS**

- National Council for Affordable & Rural Housing / Washington, DC / Co-Chair / Initiatives Committee / 2009-Present
- National Council for Affordable & Rural Housing / Washington, DC / Board Member / 2000-2008
- National Council of State Housing Agencies / Member
- National Affordable Housing Preservation Associates, Inc., Board Member / Board President / 2000-Present
- United Cerebral Palsy / Ewing Housing Trust / Washington, DC / Committee Member / 2009-Present



## Thomas White

Thomas White, E&A Chief Accessibility Consultant, has over 20 years of experience with ADA, Section 504, and the Fair Housing Accessibility Guidelines, including 13 years as the Senior Accessibility Inspector for E&A Team, Inc. He has inspected over 3,000 multifamily sites for E&A. Mr. White also assisted in starting E&A's Blue Print and Specification (BPS) Review division. Since the inception, he has inspected over 350 different BPS projects in 39 states, identifying all 3 federal accessibility codes along with applicable state accessibility codes.

Mr. White often works in conjunction with Mark English, President of E&A Team, Inc. and Scott Moore, Partner at Baird Holm Law Firm who was the former Senior Trial Litigator in the Housing and Civil Enforcement Section of the Civil Rights Division at the U.S. Department of Justice in Washington, D.C. Mr. White frequently serves as an invaluable resource to Mr. Moore in the area of accessibility guidelines and consulting. He has also served as a consultant on behalf of E&A Team, Inc., on 19 expert witnessing cases. Mr. White also partnered with Mark English to compile the UFAS Pocket Edition along with designing the only electronic survey software program for ADA, Section 504, and Fair Housing Accessibility Guidelines.

Currently, Mr. White is the Lead Inspector for all Accessibility Compliance Inspections. He is also the lead contact for the Denver Housing Authority for Blue Print and Spec Reviews in regard to their multi-million dollar expansion for the last 5 years.



## Site Construction Review

Created: 04-04-2024  
Creator: Thomas White (@TWH)  
Status: Priority 1, Priority 2  
Dates: 03-28-2024 - 04-04-2024

### Recipients

thomas@eandateam.com


### Description

The site is mostly unpaved. A few sections of walkways are in place, but supplies and heavy equipment still need access to the buildings. A slope evaluation will be conducted at a later visit.

All ground-floor two & three-bedroom units; Bath #2: measurements for the toilet centerline to the edge of the bathtub cannot be taken at this visit since the bathtubs are not installed at this stage; they will be measured at the next visit.

● **#21 - [Coat & Lin] Closets framed incorrectly as one closet, if stays as is the door from bath #1 will have to yield 32-inches clear (34-inch door min).**


Priority 1 | Thomas White | 2024-0404 Visit  
Plan: 3br (unit C) - FH/Accessible | Location: FHA > 2102-3br > Bath #1




**Task messages (time in PDT)**

Thomas White	Photo 1	04 Apr 01:21 PM
Thomas White	Photo 2	04 Apr 01:21 PM
Thomas White	Photo 3	04 Apr 01:22 PM
Thomas White	Photo 4	04 Apr 01:22 PM
Thomas White	Photo 5	04 Apr 01:22 PM

**Photos**



● **#10 - Blocking behind the toilet wasn't complete at this visit,**  
Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 3br (unit C) - FH/Accessible | Location: Accessible (HOME) > 1102(3br) > Bath #2



**Task messages (time in PDT)**  
Thomas White                      Photo 1


04 Apr 12:57 PM

**Photos**



● **#45 - The toilet centerline may not end up within 16-18 inches off the finished side wall per ADA 2010 (HOME).**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 1Br (Unit A) - FH/SI/Accessible | Location: Accessible (HOME) > 5110(1br)



**Task messages (time in PDT)**

Thomas White                      Photo 1


04 Apr 02:00 PM

**Photos**



● **#1 - Blocking not complete at the time of this visit.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: Clubhouse | Location: Clubhouse > Men's Restroom



**Task messages (time in PDT)**

- |              |         |
|--------------|---------|
| Thomas White | Photo 1 |
| Thomas White | Photo 2 |


04 Apr 12:25 PM  
04 Apr 12:26 PM

**Photos**



● **#4 - The centerline of this toilet could end up more than 18-inches off the finished side wall.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: Clubhouse | Location: Clubhouse > Women's Restroom



**Task messages (time in PDT)**

- Thomas White      Photo 1
- Thomas White      Photo 2


04 Apr 12:28 PM  
04 Apr 12:28 PM

**Photos**



● **#3 - Blocking not complete at the time of this visit.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: Clubhouse | Location: Clubhouse > Women's Restroom



**Task messages (time in PDT)**

Thomas White                      Photo 1


04 Apr 12:26 PM

**Photos**



● **#20 - Blocking not complete at the time of this visit.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 2Br (unit B) - FH/Accessible | Location: FHA > 1101-2br > Bath #1



**Task messages (time in PDT)**

Thomas White                      Photo 1


04 Apr 01:19 PM

**Photos**



● **#14 - Blocking not complete at the time of this visit.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 2Br (unit B) - FH/Accessible | Location: FHA > 1103-2br > Bath #1



**Task messages (time in PDT)**

Thomas White                      Photo 1


04 Apr 01:14 PM

**Photos**



● **#17 - Blocking not complete at the time of this visit.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 2Br (unit B) - FH/Accessible | Location: FHA > 1103-2br > Bath #2



**Task messages (time in PDT)**

Thomas White                      Photo 1


04 Apr 01:17 PM

**Photos**



● **#12 - Blocking not complete at the time of this visit.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 3br (unit C) - FH/Accessible | Location: FHA > 1104-3br > Bath #1



**Task messages (time in PDT)**

Thomas White                      Photo 1  
Thomas White                      Photo 2


04 Apr 01:11 PM  
04 Apr 01:12 PM

**Photos**



● **#26 - The toilet centerline could end up less than 18-inches of the finished side wall.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 3br (unit C) - FH/Accessible | Location: FHA > 2103-3br > Bath #1




**Task messages (time in PDT)**

- Thomas White      Photo 1
- Thomas White      Photo 2


04 Apr 01:27 PM  
04 Apr 01:27 PM

**Photos**



● **#24 - Blocking not complete at the time of this visit.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 3br (unit C) - FH/Accessible | Location: FHA > 2104-3br > Bath #1



**Task messages (time in PDT)**

Thomas White                      Photo 1


04 Apr 01:25 PM

**Photos**



● **#23 - Blocking not complete at the time of this visit.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 3br (unit C) - FH/Accessible | Location: FHA > 2104-3br > Bath #2



**Task messages (time in PDT)**

Thomas White                      Photo 1


04 Apr 01:24 PM

**Photos**



● **#37 - Side wall blocking for the toilet area is above the FHA range of 32-38 inches above the floor, please correct to the range show on sheet A1.5.**


Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 2Br (unit B) - FH/Accessible | Location: FHA > 3101-2br > Bath #1



**Task messages (time in PDT)**


Thomas White	Photo 1	04 Apr 01:39 PM
Thomas White	Photo 2	04 Apr 01:39 PM
Thomas White	Photo 3	04 Apr 01:39 PM
Thomas White	Photo 4	04 Apr 01:39 PM
Thomas White	Photo 5	04 Apr 01:39 PM

**Photos**



● **#30 - All blocking for the toilet area is above the FHA range of 32-38 inches above the floor, please correct to the range show on sheet A1.5.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 2Br (unit B) - FH/Accessible | Location: FHA > 3102-2br > Bath #1



**Task messages (time in PDT)**


Thomas White	Photo 1	04 Apr 01:33 PM
Thomas White	Photo 2	04 Apr 01:33 PM
Thomas White	Photo 3	04 Apr 01:33 PM
Thomas White	Photo 4	04 Apr 01:33 PM
Thomas White	Photo 5	04 Apr 01:33 PM

**Photos**



● **#31 - Blocking not complete at the time of this visit.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 2Br (unit B) - FH/Accessible | Location: FHA > 3102-2br > Bath #2



**Task messages (time in PDT)**

Thomas White                      Photo 1


04 Apr 01:34 PM

**Photos**



● **#34 - Side wall blocking for the toilet area is above the FHA range of 32-38 inches above the floor, please correct to the range show on sheet A1.5.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 2Br (unit B) - FH/Accessible | Location: FHA > 3103-2br > Bath #1



**Task messages (time in PDT)**

Thomas White	Photo 1	04 Apr 01:36 PM
Thomas White	Photo 2	04 Apr 01:36 PM
Thomas White	Photo 3	04 Apr 01:36 PM
Thomas White	Photo 4	04 Apr 01:36 PM
Thomas White	Photo 5	04 Apr 01:36 PM
Thomas White	Photo 6	04 Apr 01:36 PM
Thomas White	Photo 7	04 Apr 01:36 PM

**Photos**




7



● **#35 - Blocking not complete at the time of this visit.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 2Br (unit B) - FH/Accessible | Location: FHA > 3103-2br > Bath #2



**Task messages (time in PDT)**

Thomas White                      Photo 1


04 Apr 01:37 PM

**Photos**



● **#40 - The toilet centerline might end up less than 18-inches from the finished side wall.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 2Br (unit B) - FH/Accessible | Location: FHA > 4102-2br > Bath #1




**Task messages (time in PDT)**

- Thomas White      Photo 1
- Thomas White      Photo 2


04 Apr 01:47 PM  
04 Apr 01:48 PM

**Photos**



● **#49 - The toilet centerline might end up less than 18-inches from the finished side wall.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 2Br (unit B) - FH/Accessible | Location: FHA > 5101-2br > Bath #1



**Task messages (time in PDT)**

- Thomas White      Photo 1
- Thomas White      Photo 2


04 Apr 02:04 PM  
04 Apr 02:04 PM

**Photos**



● **#50 - The toilet centerline might end up less than 18-inches from the finished side wall.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 2Br (unit B) - FH/Accessible | Location: FHA > 5102-2br > Bath #1




**Task messages (time in PDT)**

- Thomas White      Photo 1
- Thomas White      Photo 2


04 Apr 02:05 PM  
04 Apr 02:05 PM

**Photos**



● **#47 - The toilet centerline might end up less than 18-inches from the finished side wall.**

Priority 2 | Thomas White | 2024-0404 Visit  
Plan: 1Br (Unit A) - FH/SI/Accessible | Location: FHA > 5105-1br



**Task messages (time in PDT)**

- Thomas White      Photo 1
- Thomas White      Photo 2


04 Apr 02:03 PM  
04 Apr 02:03 PM


**Photos**



● **#52 - Unit address numbers provided to E&A for this report. Bedroom numbers provided in ( ) are accessible units and all others are Fair Housing types.**


Priority 2 | Thomas White | 2024-0404 Visit  
Plan: Mockingbird Landing, Monroeville, AL (site plan) | Location: Site






## COMMUNITY BUILDING

1104  
2101  
2102  
2103  
2104



UNIT C      THREE-BEDROOM FAIR HOUSING

1102



UNIT C      THREE-BEDROOM FULLY ACCESSIBLE

- 1101

1103

3101

3102

3103

3104
- 4102


4105

4106

4109

4110


5101
- 5102



UNIT B

TWO-BEDROOM FAIR HOUSING


4101



UNIT B


TWO-BEDROOM FULLY ACCESSIBLE

5105  
5106  
5109



**UNIT A** FH/SI ONE-BEDROOM FAIR HOUSING / SENSORY

5110




**UNIT A** HCS ONE-BEDROOM FULLY ACCESSIBLE

# Mockingbird Landing

MONROEVILLE, ALABAMA

GROUND-FLOOR UNIT NUMBERS SHOWN

52





## Accessibility Construction Site Inspection

2nd Visit

**Prepared for:**

Morrow Realty Company

**With respect to:**

Emerald Valley Apartments  
711 Rural St  
Evergreen, AL 36401

**Site Visit Completed:**

March 13, 2024

**Site Inspected by:**

Scott Reynolds

**Report Created by:**

Alva George



Findings & Issues March 13, 2024  
Site Visit

Created: 03-15-2024  
Creator: Alva George (@AGE)  
Status: Priority 1, Priority 2  
Dates: 04-28-2022 - 03-15-2024

Recipients

alva@eandateam.com

# Table of contents

## 2023-12/11 1st Visit

#	Description	Plan	Assignee	Status	Page
45	Thermostat above 48 inches	A2.1	@SRE	Priority 2 - 12-11-2023	5
16	Toilet not 18 inches-Provide clear floor space at water closet.	A2.1	@SRE	Priority 2 - 12-11-2023	5
46	Thermostat above 48 inches	A2.1	@SRE	Priority 2 - 12-11-2023	6
47	Thermostat above 48 inches	A2.1	@SRE	Priority 2 - 12-11-2023	7
21	Toilet not 18 inches-Provide clear floor space at water closet.	A2.1	@SRE	Priority 2 - 12-11-2023	7
48	Thermostat above 48 inches	A2.1	@SRE	Priority 2 - 12-11-2023	8
49	Thermostat above 48 inches	A2.1	@SRE	Priority 2 - 12-11-2023	9
52	Thermostat above 48 inches	A2.1	@SRE	Priority 2 - 12-11-2023	9
55	Toilet not 18 inches-Provide clear floor space at water closet.	A2.1	@SRE	Priority 2 - 12-11-2023	10
56	Thermostat above 48 inches	A2.1	@SRE	Priority 2 - 12-11-2023	11
63	Thermostat above 48 inches	A2.1	@SRE	Priority 2 - 12-11-2023	11
72	Thermostat above 48 inches	A2.2	@SRE	Priority 2 - 12-11-2023	12
76	Thermostat above 48 inches	A2.2	@SRE	Priority 2 - 12-11-2023	13
80	Thermostat above 48 inches	A2.2	@SRE	Priority 2 - 12-11-2023	13
83	Thermostat above 48 inches	A2.2	@SRE	Priority 2 - 12-11-2023	14
90	Thermostat above 48 inches	A2.2	@SRE	Priority 2 - 12-11-2023	15
93	Thermostat above 48 inches	A2.2	@SRE	Priority 2 - 12-11-2023	15
96	Thermostat above 48 inches	A2.2	@SRE	Priority 2 - 12-11-2023	16
99	Thermostat above 48 inches	A2.2	@SRE	Priority 2 - 12-11-2023	17
104	Thermostat above 48 inches	A2.2	@SRE	Priority 2 - 12-11-2023	17
107	Thermostat above 48 inches	A2.2	@SRE	Priority 2 - 12-11-2023	18
110	Thermostat above 48 inches	A2.2	@SRE	Priority 2 - 12-11-2023	19
113	Thermostat above 48 inches	A2.2	@SRE	Priority 2 - 12-11-2023	19
123	Thermostat above 48 inches	A2.3	@SRE	Priority 2 - 12-11-2023	20
130	Thermostat above 48 inches	A2.3	@SRE	Priority 2 - 12-11-2023	21
134	Thermostat above 48 inches	A2.3	@SRE	Priority 2 - 12-11-2023	21
138	Thermostat above 48 inches	A2.3	@SRE	Priority 2 - 12-11-2023	22
141	Thermostat above 48 inches	A2.3	@SRE	Priority 2 - 12-11-2023	23


144	Thermostat above 48 inches	A2.3	@SRE	Priority 2 - 12-11-2023	23
147	Thermostat above 48 inches	A2.3	@SRE	Priority 2 - 12-11-2023	24
150	Thermostat above 48 inches	A2.3	@SRE	Priority 2 - 12-11-2023	25
154	Thermostat above 48 inches	A2.3	@SRE	Priority 2 - 12-11-2023	25
155	The toilet is not 18 inches from the side wall.- Provide clear floor space at the water closet.	A2.3	@SRE	Priority 2 - 12-11-2023	26
158	Thermostat above 48 inches	A2.3	@SRE	Priority 2 - 12-11-2023	27
161	Thermostat above 48 inches	A2.3	@SRE	Priority 2 - 12-11-2023	27
166	The toilet is not 18 inches from the side wall.- Provide clear floor space at the water closet.	A2.3	@SRE	Priority 2 - 12-11-2023	28
28	Toilet not 18 inches	A2.1	@SRE	Priority 2 - 12-11-2023	29
29	No grab bars-At the time of the inspection the bathroom was incomplete. Recheck next visit.	A2.1	@SRE	Priority 2 - 12-11-2023	29
30	Shower head not adjustable. At the time of the inspection the bathroom was incomplete. Recheck next visit.	A2.1	@SRE	Priority 2 - 12-11-2023	30
31	Shower not 30 by 60	A2.1	@SRE	Priority 2 - 12-11-2023	31
36	No grab bars-At the time of the inspection the bathroom was incomplete. Recheck next visit.	A2.1	@SRE	Priority 2 - 12-11-2023	32
37	Shower not 30 by 60 inches	A2.1	@SRE	Priority 2 - 12-11-2023	32
42	Shower head not adjustable. At the time of the inspection the bathroom was incomplete. Recheck next visit.	A2.1	@SRE	Priority 2 - 12-11-2023	33
41	Toilet not 18 inches	A2.1	@SRE	Priority 2 - 12-11-2023	34
43	Shower head not adjustable. At the time of the inspection the bathroom was incomplete. Recheck next visit.	A2.1	@SRE	Priority 2 - 12-11-2023	35
44	Shower not 30 by 60 inches	A2.1	@SRE	Priority 2 - 12-11-2023	35
61	Shower not 30 by 60	A2.1	@SRE	Priority 2 - 12-11-2023	36
180	Curb ramp in access aisle-This is a built-up curb ramp, protruding into the Access Aisle.	01.	@SRE	Priority 1 - 12-11-2023	37
181	Curb ramp in access aisle	01.	@SRE	Priority 1 - 12-11-2023	37
187	Slope is greater than 8%	01.	@SRE	Priority 1 - 12-11-2023	38
172	Restroom accessories. Construction is ongoing recheck next visit.	A3.2	@SRE	Priority 2 - 12-11-2023	39
175	Blocking not between 32 and 38-Construction was ongoing at the time of the visit. Recheck next Visit.	A3.2	@SRE	Priority 2 - 12-11-2023	39
176	Restroom accessories. Construction is ongoing recheck next visit.	A3.2	@SRE	Priority 2 - 12-11-2023	40
177	Blocking not between 32 and 38-Construction was ongoing at the time of the visit. Recheck next Visit.	A3.2	@SRE	Priority 2 - 12-11-2023	41

## 2024-3/13 Site Visit

#	Description	Plan	Assignee	Status	Page
188	Women's restroom lavatory not centered on 30 inches	A3.2	@SRE	Priority 2 - 03-13-2024	42
189	Lavatory center not at 24 inches	A2.1	@SRE	Priority 2 - 03-13-2024	43
198	Toilet not 18 inches	A2.1	@SRE	Priority 2 - 03-13-2024	43
201	Thermostat above 48	A2.2	@SRE	Priority 2 - 03-13-2024	44
202	Thermostat above 48 inches	A2.2	@SRE	Priority 2 - 03-13-2024	45
203	Toilet not at 18 inches	A2.3	@SRE	Priority 2 - 03-13-2024	45
195	Pipes not covered	A2.1	@SRE	Priority 2 - 03-13-2024	46
194	Pipes not covered	A2.1	@SRE	Priority 2 - 03-13-2024	47
196	Pipes not covered	A2.1	@SRE	Priority 2 - 03-13-2024	47
200	Shower control not off set.	A2.1	@SRE	Priority 2 - 03-13-2024	48
205	Needs 5th accessible parking space	01.	@SRE	Priority 2 - 03-13-2024	49

2023-12/11 1st Visit


#45 - Thermostat above 48 inches  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: 101  
Created 12-11-2023




Task messages (time in PDT)

Scott Reynolds	Photo 1	11 Dec 07:20 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations	13 Dec 07:37 AM
Alva George	Photo 2	13 Dec 07:38 AM
Alva George	ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	13 Dec 07:42 AM
Alva George	Locate controls at 48 inches or below.	13 Dec 07:42 AM

Photos




#16 - Toilet not 18 inches-Provide clear floor space at water closet.  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: 102  
Created 12-11-2023




Task messages (time in PDT)

Scott Reynolds	Photo 1	11 Dec 06:33 AM
Alva George	Photo 2	12 Dec 08:40 AM
Alva George	Fair Housing Act Design Manual - Requirement 7 Usable Kitchens and Bathrooms Part A:Usable Kitchens Part B: Usable Bathrooms	12 Dec 08:43 AM

Photos




● #46 - Thermostat above 48 inches  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: 102  
Created 12-11-2023




Task messages (time in PDT)

Scott Reynolds	Photo 1	11 Dec 07:21 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations	13 Dec 08:14 AM
Alva George	Photo 2	13 Dec 08:14 AM
Alva George	ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3. Locate controls at 48 inches or below.	13 Dec 08:14 AM

Photos




● **#47 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: 103  
Created 12-11-2023




Task messages (time in PDT)		
Scott Reynolds	Photo 1	11 Dec 07:22 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations	13 Dec 08:16 AM
Alva George	Photo 2	13 Dec 08:16 AM
Alva George	ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3. Locate controls at 48 inches or below.	13 Dec 08:19 AM

Photos




● **#21 - Toilet not 18 inches-Provide clear floor space at water closet.**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: 104  
Created 12-11-2023




Task messages (time in PDT)		
Scott Reynolds	Photo 1	11 Dec 06:39 AM
Alva George	Photo 2	12 Dec 10:17 AM
Alva George	Fair Housing Act Design Manual - Requirement 7 Usable Kitchens and Bathrooms Part A:Usable Kitchens Part B: Usable Bathrooms	12 Dec 10:17 AM

Photos




● **#48 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: 104  
Created 12-11-2023




Task messages (time in PDT)

Scott Reynolds	Photo 1	11 Dec 07:23 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations	13 Dec 08:20 AM
Alva George	Photo 2	13 Dec 08:21 AM
Alva George	ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3. Locate controls at 48 inches or below.	13 Dec 08:21 AM

Photos




● **#49 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: 105  
Created 12-11-2023




Task messages (time in PDT)		
Scott Reynolds	Photo 1	11 Dec 07:24 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations	13 Dec 08:22 AM
Alva George	Photo 2	13 Dec 08:22 AM
Alva George	ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3. Locate controls at 48 inches or below.	13 Dec 08:23 AM

Photos




● **#52 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: 109  
Created 12-11-2023




Task messages (time in PDT)		
Scott Reynolds	Photo 1	11 Dec 07:34 AM
Alva George	ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3. Locate controls at 48 inches or below.	13 Dec 09:40 AM
Alva George	Photo 2	13 Dec 09:40 AM

Photos



● #55 - Toilet not 18 inches-Provide clear floor space at water closet.


Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: 110  
Created 12-11-2023



Task messages (time in PDT)


Scott Reynolds	Photo 1	11 Dec 07:37 AM
Alva George	Fair Housing Act Design Manual - Requirement 7 Usable Kitchens and Bathrooms Part A:Usable Kitchens Part B: Usable Bathrooms	13 Dec 10:00 AM
Alva George	Photo 2	13 Dec 10:00 AM

Photos



● #56 - Thermostat above 48 inches


Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: 110  
Created 12-11-2023



Task messages (time in PDT)


Scott Reynolds	Photo 1	11 Dec 07:38 AM
Alva George	ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3. Locate controls at 48 inches or below.	13 Dec 10:12 AM
Alva George	Photo 2	13 Dec 10:12 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations	13 Dec 10:12 AM

Photos



● #63 - Thermostat above 48 inches

Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: 112  
Created 12-11-2023



Task messages (time in PDT)


Scott Reynolds	Photo 1	11 Dec 07:49 AM
----------------	---------	-----------------

Photos



#72 - Thermostat above 48 inches


Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.2 - SECOND FLOOR BUILDING PLAN | Location: 201  
Created 12-11-2023




Task messages (time in PDT)

Scott Reynolds	Photo 1	11 Dec 08:07 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations	13 Dec 01:31 PM
Alva George	ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3. Locate controls at 48 inches or below.	13 Dec 01:31 PM
Alva George	Photo 2	13 Dec 01:31 PM

Photos




● **#76 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.2 - SECOND FLOOR BUILDING PLAN | Location: 202  
Created 12-11-2023




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	11 Dec 08:12 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3. Locate controls at 48 inches or below.	13 Dec 01:34 PM
Alva George	Photo 2	13 Dec 01:34 PM

**Photos**




● **#80 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.2 - SECOND FLOOR BUILDING PLAN | Location: 203  
Created 12-11-2023




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	11 Dec 08:16 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3. Locate controls at 48 inches or below.	14 Dec 06:34 AM
Alva George	Photo 2	14 Dec 06:34 AM

Photos




● **#83 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.2 - SECOND FLOOR BUILDING PLAN | Location: 204  
Created 12-11-2023




Task messages (time in PDT)

Scott Reynolds	Photo 1	11 Dec 08:20 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 06:39 AM
Alva George	Photo 2	14 Dec 06:40 AM
Alva George	Locate controls at 48 inches or below.	14 Dec 06:40 AM

Photos




● **#90 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.2 - SECOND FLOOR BUILDING PLAN | Location: 206  
Created 12-11-2023




Task messages (time in PDT)		
Scott Reynolds	Photo 1	11 Dec 08:27 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 10:38 AM
Alva George	Photo 2	14 Dec 10:38 AM
Alva George	Locate controls at 48 inches or below.	14 Dec 10:49 AM

Photos




● **#93 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.2 - SECOND FLOOR BUILDING PLAN | Location: 207  
Created 12-11-2023




Task messages (time in PDT)		
Scott Reynolds	Photo 1	11 Dec 08:30 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 10:39 AM
Alva George	Photo 2	14 Dec 10:49 AM

Photos




**#96 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.2 - SECOND FLOOR BUILDING PLAN | Location: 208  
Created 12-11-2023




Task messages (time in PDT)

Scott Reynolds	Photo 1	11 Dec 08:33 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 10:40 AM
Alva George	Photo 2	14 Dec 10:40 AM
Alva George	Locate controls at 48 inches or below.	14 Dec 10:49 AM

Photos




● **#99 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.2 - SECOND FLOOR BUILDING PLAN | Location: 209  
Created 12-11-2023




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	11 Dec 08:37 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 10:40 AM
Alva George	Photo 2	14 Dec 10:41 AM
Alva George	Locate controls at 48 inches or below.	14 Dec 10:50 AM

**Photos**




● **#104 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.2 - SECOND FLOOR BUILDING PLAN | Location: 210  
Created 12-11-2023




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	11 Dec 08:45 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 10:42 AM
Alva George	Photo 2	14 Dec 10:42 AM

Photos




● **#107 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.2 - SECOND FLOOR BUILDING PLAN | Location: 211  
Created 12-11-2023




Task messages (time in PDT)

Scott Reynolds	Photo 1	11 Dec 08:50 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 10:50 AM
Alva George	Photo 2	14 Dec 10:50 AM
Alva George	Locate controls at 48 inches or below.	14 Dec 10:51 AM

Photos




● **#110 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.2 - SECOND FLOOR BUILDING PLAN | Location: 212  
Created 12-11-2023




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	11 Dec 08:54 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 10:46 AM
Alva George	Photo 2	14 Dec 10:47 AM
Alva George	Locate controls at 48 inches or below.	14 Dec 10:51 AM

**Photos**




● **#113 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.2 - SECOND FLOOR BUILDING PLAN | Location: 213  
Created 12-11-2023




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	11 Dec 08:58 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 10:46 AM
Alva George	Photo 2	14 Dec 10:47 AM

Photos




**#123 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.3 - THIRD FLOOR BUILDING PLAN | Location: 301  
Created 12-11-2023




Task messages (time in PDT)

Scott Reynolds	Photo 1	11 Dec 09:17 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 10:48 AM
Alva George	Photo 2	14 Dec 10:48 AM
Alva George	Locate controls at 48 inches or below.	14 Dec 10:48 AM

Photos




● **#130 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.3 - THIRD FLOOR BUILDING PLAN | Location: 304  
Created 12-11-2023




Task messages (time in PDT)		
Scott Reynolds	Photo 1	11 Dec 09:27 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 10:52 AM
Alva George	Photo 2	14 Dec 10:52 AM
Alva George	Locate controls at 48 inches or below.	14 Dec 10:59 AM

Photos




● **#134 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.3 - THIRD FLOOR BUILDING PLAN | Location: 305  
Created 12-11-2023




Task messages (time in PDT)		
Scott Reynolds	Photo 1	11 Dec 09:32 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 11:00 AM
Alva George	Photo 2	14 Dec 11:00 AM

Photos




● **#138 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.3 - THIRD FLOOR BUILDING PLAN | Location: 306  
Created 12-11-2023




Task messages (time in PDT)

Scott Reynolds	Photo 1	11 Dec 09:37 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 11:01 AM
Alva George	Photo 2	14 Dec 11:01 AM
Alva George	Locate controls at 48 inches or below.	14 Dec 11:04 AM

Photos




● **#141 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.3 - THIRD FLOOR BUILDING PLAN | Location: 307  
Created 12-11-2023




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	11 Dec 09:40 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 11:01 AM
Alva George	Photo 2	14 Dec 11:01 AM
Alva George	Locate controls at 48 inches or below.	14 Dec 11:05 AM

**Photos**




● **#144 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.3 - THIRD FLOOR BUILDING PLAN | Location: 308  
Created 12-11-2023



**Task messages (time in PDT)**


Scott Reynolds	Photo 1	11 Dec 09:43 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 11:02 AM
Alva George	Photo 2	14 Dec 11:05 AM

Photos



#147 - Thermostat above 48 inches


Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.3 - THIRD FLOOR BUILDING PLAN | Location: 309  
Created 12-11-2023




Task messages (time in PDT)

Scott Reynolds	Photo 1	11 Dec 09:46 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 11:02 AM
Alva George	Photo 2	14 Dec 11:02 AM
Alva George	Locate controls at 48 inches or below.	14 Dec 11:03 AM

Photos




● **#150 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.3 - THIRD FLOOR BUILDING PLAN | Location: 310  
Created 12-11-2023




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	11 Dec 09:49 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 11:07 AM
Alva George	Photo 2	14 Dec 11:07 AM
Alva George	Locate controls at 48 inches or below.	14 Dec 11:12 AM

**Photos**




● **#154 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.3 - THIRD FLOOR BUILDING PLAN | Location: 311  
Created 12-11-2023



**Task messages (time in PDT)**


Scott Reynolds	Photo 1	11 Dec 09:54 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 11:07 AM
Alva George	Photo 2	14 Dec 11:08 AM

Photos



● #155 - The toilet is not 18 inches from the side wall.- Provide clear floor space at the water closet.


Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.3 - THIRD FLOOR BUILDING PLAN | Location: 311  
Created 12-11-2023




Task messages (time in PDT)

Scott Reynolds	Photo 1	11 Dec 09:54 AM
Alva George	Fair Housing Act Design Manual - Requirement 7 Usable Kitchens and Bathrooms Part A:Usable Kitchens Part B: Usable Bathrooms	14 Dec 11:21 AM
Alva George	Photo 2	14 Dec 11:21 AM

Photos




● **#158 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.3 - THIRD FLOOR BUILDING PLAN | Location: 312  
Created 12-11-2023




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	11 Dec 09:59 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 11:08 AM
Alva George	Photo 2	14 Dec 11:10 AM
Alva George	Locate controls at 48 inches or below.	14 Dec 11:10 AM

**Photos**




● **#161 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.3 - THIRD FLOOR BUILDING PLAN | Location: 313  
Created 12-11-2023



**Task messages (time in PDT)**


Scott Reynolds	Photo 1	11 Dec 10:02 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Dec 11:09 AM
Alva George	Photo 2	14 Dec 11:09 AM

Photos



● #166 - The toilet is not 18 inches from the side wall.- Provide clear floor space at the water closet.


Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.3 - THIRD FLOOR BUILDING PLAN | Location: 315  
Created 12-11-2023



Task messages (time in PDT)


Scott Reynolds	Photo 1	11 Dec 10:08 AM
Alva George	Fair Housing Act Design Manual - Requirement 7 Usable Kitchens and Bathrooms Part A:Usable Kitchens Part B: Usable Bathrooms	14 Dec 11:21 AM
Alva George	Photo 2	14 Dec 11:22 AM

Photos



**#28 - Toilet not 18 inches**

Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: accessible 106  
Created 12-11-2023




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	11 Dec 06:54 AM
Alva George	Photo 2	12 Dec 01:31 PM
Alva George	UFAS 4.34.5.2 WATER CLOSETS.	12 Dec 01:31 PM


(1) Clear floor space at the water closet shall be as shown in Fig. 47(a). The water closet may be located with the clear area at either the right or left side of the toilet.

**Photos**



**#29 - No grab bars-At the time of the inspection the bathroom was incomplete. Recheck next visit.**

Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: accessible 106  
Created 12-11-2023



**Task messages (time in PDT)**


Scott Reynolds	Photo 1	11 Dec 06:55 AM
Scott Reynolds	Photo 2	11 Dec 06:55 AM
Scott Reynolds	Photo 3	11 Dec 06:56 AM
Alva George	Grab bars are required in UFAS units to be installed at water closet and shower.	12 Dec 01:34 PM

Photos



**#30 - Shower head not adjustable. At the time of the inspection the bathroom was incomplete. Recheck next visit.**

Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: accessible 106  
Created 12-11-2023



Task messages (time in PDT)


Scott Reynolds	Photo 1	11 Dec 06:56 AM
Alva George	UFAS 4.34.5.5 SHOWERS. If a shower is provided, it shall have the following features:(5) Shower unit. A shower spray unit with a hose at least 60 in (1525 mm) long that can be used as a fixed shower head at various heights or as a hand-held shower shall be provided.	12 Dec 01:37 PM

Photos



#31 - Shower not 30 by 60

Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: accessible 106  
Created 12-11-2023



Task messages (time in PDT)

Scott Reynolds	Photo 1	11 Dec 06:57 AM
Scott Reynolds	Photo 2	11 Dec 06:57 AM
Scott Reynolds	Photo 3	11 Dec 06:58 AM
Alva George	4.34.5.5 SHOWERS. If a shower is provided, it shall have the following features:	12 Dec 01:38 PM
	(1) Size and clearances. Shower stall size and clear floor space shall comply with either Fig. 35(a) or (b). The shower stall in Fig. 35(a) shall be 36 in by 36 in (915 mm by 915 mm). The shower stall in Fig. 35(b) will fit into the same space as a standard 60 in (1525 mm) long bathtub.	
Alva George	Photo 4	12 Dec 01:39 PM
Alva George	Photo 5	12 Dec 01:39 PM

Photos

1

2


3

4

5

**#36 - No grab bars-At the time of the inspection the bathroom was incomplete. Recheck next visit.**

Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: accessible 107  
Created 12-11-2023




Task messages (time in PDT)		
Scott Reynolds	Photo 1	11 Dec 07:05 AM
Scott Reynolds	Photo 2	11 Dec 07:05 AM
Scott Reynolds	Photo 3	11 Dec 07:05 AM
Alva George	Grab bars are required in UFAS units to be installed at water closet and shower.	13 Dec 06:46 AM

**Photos**





**#37 - Shower not 30 by 60 inches**

Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: accessible 107  
Created 12-11-2023




Task messages (time in PDT)		
Scott Reynolds	Photo 1	11 Dec 07:06 AM
Scott Reynolds	Photo 2	11 Dec 07:06 AM
Scott Reynolds	Photo 3	11 Dec 07:07 AM
Alva George	4.34.5.5 SHOWERS. If a shower is provided, it shall have the following features:  (1) Size and clearances. Shower stall size and clear floor space shall comply with either Fig. 35(a) or (b). The shower stall in Fig. 35(a) shall be 36 in by 36 in (915 mm by 915 mm). The shower stall in Fig. 35(b) will fit into the same space as a standard 60 in (1525 mm) long bathtub.	13 Dec 06:51 AM
Alva George	Photo 4	13 Dec 06:51 AM

Photos



● #42 - Shower head not adjustable. At the time of the inspection the bathroom was incomplete. Recheck next visit.


Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: accessible 107  
Created 12-11-2023



Task messages (time in PDT)


Scott Reynolds	Photo 1	11 Dec 07:16 AM
Alva George	UFAS 4.34.5.5 SHOWERS. If a shower is provided, it shall have the following features:(5) Shower unit. A shower spray unit with a hose at least 60 in (1525 mm) long that can be used as a fixed shower head at various heights or as a hand-held shower shall be provided.	13 Dec 07:30 AM

Photos



#41 - Toilet not 18 inches


Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: accessible 108  
Created 12-11-2023



Task messages (time in PDT)


Scott Reynolds	Photo 1	11 Dec 07:15 AM
Alva George	UFAS 4.34.5.2 WATER CLOSETS.	13 Dec 07:15 AM
(1) Clear floor space at the water closet shall be as shown in Fig. 47(a). The water closet may be located with the clear area at either the right or left side of the toilet.		
Alva George	Photo 2	13 Dec 07:15 AM

Photos



● **#43 - Shower head not adjustable. At the time of the inspection the bathroom was incomplete. Recheck next visit.**


Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: accessible 108  
Created 12-11-2023



**Task messages (time in PDT)**


Scott Reynolds	Photo 1	11 Dec 07:17 AM
Alva George	UFAS 4.34.5.5 SHOWERS. If a shower is provided, it shall have the following features:(5) Shower unit. A shower spray unit with a hose at least 60 in (1525 mm) long that can be used as a fixed shower head at various heights or as a hand-held shower shall be provided.	13 Dec 07:33 AM

**Photos**



● **#44 - Shower not 30 by 60 inches**

Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: accessible 108  
Created 12-11-2023



**Task messages (time in PDT)**


Scott Reynolds	Photo 1	11 Dec 07:18 AM
Scott Reynolds	Photo 2	11 Dec 07:18 AM
Alva George	4.34.5.5 SHOWERS. If a shower is provided, it shall have the following features:  (1) Size and clearances. Shower stall size and clear floor space shall comply with either Fig. 35(a) or (b). The shower stall in Fig. 35(a) shall be 36 in by 36 in (915 mm by 915 mm). The shower stall in Fig. 35(b) will fit into the same space as a standard 60 in (1525 mm) long bathtub.	13 Dec 07:34 AM
Alva George	Photo 3	13 Dec 07:35 AM

Photos



#61 - Shower not 30 by 60

Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: accessible 111  
Created 12-11-2023



Task messages (time in PDT)

- Scott Reynolds

Photo 1

11 Dec 07:46 AM
- Scott Reynolds

Photo 2

11 Dec 07:46 AM
- Alva George

UFAS 4.34.5.5 SHOWERS. If a shower is provided, it shall have the following features:

13 Dec 10:33 AM
- (1) Size and clearances. Shower stall size and clear floor space shall comply with either Fig. 35(a) or (b). The shower stall in Fig. 35(a) shall be 36 in by 36 in (915 mm by 915 mm). The shower stall in Fig. 35(b) will fit into the same space as a standard 60 in (1525 mm) long bathtub.

13 Dec 10:34 AM
- Alva George


Photo 3

Photos



● **#180 - Curb ramp in access aisle-This is a built-up curb ramp, protruding into the Access Aisle.**

Priority 1 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: 01. - Accessibility Plan | Location: accessible Parking  
Created 12-11-2023



**Task messages (time in PDT)**


Scott Reynolds	Photo 1	11 Dec 10:50 AM
Scott Reynolds	Photo 2	11 Dec 10:50 AM
Scott Reynolds	Closest to front door	11 Dec 10:51 AM
Alva George	ADA 2010 406 Curb Ramps406.1 General. Curb ramps on accessible routes shall comply with 406, 405.2 through 405.5, and 405.10	14 Dec 12:33 PM

**Photos**



● **#181 - Curb ramp in access aisle**

Priority 1 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: 01. - Accessibility Plan | Location: accessible Parking  
Created 12-11-2023




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	11 Dec 10:52 AM
Scott Reynolds	Photo 2	11 Dec 10:52 AM
Scott Reynolds	Closer to left end of building	11 Dec 10:53 AM
Alva George	ADA 2010 406 Curb Ramps406.1 General. Curb ramps on accessible routes shall comply with 406, 405.2 through 405.5, and 405.10	14 Dec 12:35 PM

Photos



**#187 - Slope is greater than 8%**  
Priority 1 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: 01. - Accessibility Plan | Location: accessible pathways  
Created 12-11-2023



Task messages (time in PDT)


Scott Reynolds	Photo 1	11 Dec 11:08 AM
Scott Reynolds	Photo 2	11 Dec 11:08 AM
Scott Reynolds	Front left corner of building	11 Dec 11:08 AM
Alva George	ADA2010 405.2 Slope. Ramp runs shall have a running slope not steeper than 1:12.EXCEPTION: In existing sites, buildings, and facilities, ramps shall be permitted to have running slopes steeper than 1:12 complying with Table 405.2 where such slopes are necessary due to space limitations.	14 Dec 12:53 PM

Photos



● **#172 - Restroom accessories. Construction is ongoing recheck next visit.**


Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A3.2 - COMMUNITY SPACE FLOOR PLAN AND SCHEDULES | Location: men's restroom  
Created 12-11-2023



**Task messages (time in PDT)**


Scott Reynolds	Photo 1	11 Dec 10:28 AM
Scott Reynolds	Photo 2	11 Dec 10:28 AM
Scott Reynolds	Photo 3	11 Dec 10:28 AM

**Photos**



● **#175 - Blocking not between 32 and 38-Construction was ongoing at the time of the visit. Recheck next Visit.**


Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A3.2 - COMMUNITY SPACE FLOOR PLAN AND SCHEDULES | Location: men's restroom  
Created 12-11-2023



**Task messages (time in PDT)**

Scott Reynolds	Photo 1	11 Dec 10:32 AM
Scott Reynolds	Photo 2	11 Dec 10:32 AM
Scott Reynolds	Photo 3	11 Dec 10:32 AM
Scott Reynolds	Photo 4	11 Dec 10:32 AM
Scott Reynolds	Photo 5	11 Dec 10:32 AM
Alva George	The water closet and dispensers are ALL undergoing change at time of visit.	14 Dec 12:12 PM

Photos



#176 - Restroom accessories. Construction is ongoing recheck next visit.

Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A3.2 - COMMUNITY SPACE FLOOR PLAN AND SCHEDULES | Location: men's restroom  
Created 12-11-2023



Task messages (time in PDT)

- Scott Reynolds Photo 1
- Scott Reynolds Photo 2


11 Dec 10:34 AM  
11 Dec 10:34 AM

Photos



● **#177 - Blocking not between 32 and 38-Construction was ongoing at the time of the visit. Recheck next Visit.**

Priority 2 | Scott Reynolds | 2023-12/11 1st Visit  
Plan: A3.2 - COMMUNITY SPACE FLOOR PLAN AND SCHEDULES | Location: women's restroom  
Created 12-11-2023



Task messages (time in PDT)

Scott Reynolds                      Photo 1  
Scott Reynolds                      Photo 2

11 Dec 10:36 AM  
11 Dec 10:36 AM


Photos



# 2024-3/13 Site Visit

**#188 - Women's restroom lavatory not centered on 30 inches**

Priority 2 | Scott Reynolds | 2024-3/13 Site Visit  
Plan: A3.2 - COMMUNITY SPACE FLOOR PLAN AND SCHEDULES  
Created 03-13-2024




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	13 Mar 06:10 AM
Scott Reynolds	Photo 2	13 Mar 06:10 AM
Alva George	ANSI A117.1 [2003] 606 Lavatories and Sinks	14 Mar 08:56 AM
	606.1. General. Accessible lavatories and sinks shall comply with Section 606. 606.2 Clear Floor Space. A clear floor space complying with Section 305.3, positioned for forward approach, shall be provided. Knee and toe clearance complying with Section 306 shall be provided. The dip of the overflow shall not be considered in determining knee and toe clearances.	
	ANSI A117.1 [2003] 305.3 Size. The clear floor space shall be 48 inches(1220 mm) minimum in length and 30 inches (760 mm) minimum in width.	
Alva George	Relocate lavatory a minimum of 15 inches on center from side wall to provide clear floor space at the lavatory.	14 Mar 08:57 AM

**Photos**





● **#189 - Lavatory center not at 24 inches**  
Priority 2 | Scott Reynolds | 2024-3/13 Site Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: 101  
Created 03-13-2024




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	13 Mar 07:02 AM
Scott Reynolds	Photo 2	13 Mar 07:02 AM
Alva George	Photo 3	14 Mar 10:03 AM
Alva George	Fair Housing Act Design Manual-Requirement 7 - Usable Kitchens and Bathrooms	14 Mar 10:49 AM
Alva George	Relocate lavatory	14 Mar 10:50 AM

**Photos**




● **#198 - Toilet not 18 inches**  
Priority 2 | Scott Reynolds | 2024-3/13 Site Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: 110  
Created 03-13-2024




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	13 Mar 07:53 AM
Scott Reynolds	Photo 2	13 Mar 07:54 AM
Alva George	Fair Housing Act Design Manual - Requirement 7 Usable Kitchens and Bathrooms Part A:Usable Kitchens Part B: Usable Bathrooms	14 Mar 12:41 PM
Alva George	Photo 3	14 Mar 12:41 PM

Photos




● **#201 - Thermostat above 48**  
Priority 2 | Scott Reynolds | 2024-3/13 Site Visit  
Plan: A2.2 - SECOND FLOOR BUILDING PLAN | Location: 206  
Created 03-13-2024




Task messages (time in PDT)

Scott Reynolds	Photo 1	13 Mar 08:31 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Mar 12:53 PM
Alva George	Photo 2	14 Mar 12:54 PM

Photos




● **#202 - Thermostat above 48 inches**  
Priority 2 | Scott Reynolds | 2024-3/13 Site Visit  
Plan: A2.2 - SECOND FLOOR BUILDING PLAN | Location: 212  
Created 03-13-2024




Task messages (time in PDT)		
Scott Reynolds	Photo 1	13 Mar 08:43 AM
Alva George	Fair Housing Act Design Manual - Requirement 5 -Light Switches, Electrical Outlets, Thermostats, and Other Environmental Controls in Accessible Locations ANSI A117.1[2003]1004.9 Operable Parts. Lighting controls electrical switches and receptacle outlets, environmental controls, and user controls for security or intercom systems shall comply with Sections 309.2 and 309.3.	14 Mar 12:54 PM
Alva George	Photo 2	14 Mar 12:55 PM

Photos




● **#203 - Toilet not at 18 inches**  
Priority 2 | Scott Reynolds | 2024-3/13 Site Visit  
Plan: A2.3 - THIRD FLOOR BUILDING PLAN | Location: 306  
Created 03-13-2024




Task messages (time in PDT)		
Scott Reynolds	Photo 1	13 Mar 09:03 AM
Scott Reynolds	Photo 2	13 Mar 09:03 AM
Alva George	Photo 3	14 Mar 12:58 PM
Alva George	Fair Housing Act Design Manual - Requirement 7 Usable Kitchens and Bathrooms Part A:Usable Kitchens Part B: Usable Bathrooms	14 Mar 12:58 PM

Photos



#195 - Pipes not covered


Priority 2 | Scott Reynolds | 2024-3/13 Site Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: accessible 106  
Created 03-13-2024



Task messages (time in PDT)


Scott Reynolds	Photo 1	13 Mar 07:41 AM
Alva George	UFAS 4.34.6.5* SINK. The sink and surrounding counter shall comply with the following requirements (see Fig. 51):(8) There shall be no sharp or abrasive surfaces under sinks. Hot water and drain pipes under sinks shall be insulated or otherwise covered.	14 Mar 12:36 PM

Photos



**#194 - Pipes not covered**


Priority 2 | Scott Reynolds | 2024-3/13 Site Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: accessible 107  
Created 03-13-2024



**Task messages (time in PDT)**


Scott Reynolds	Photo 1	13 Mar 07:40 AM
Alva George	UFAS 4.34.6.5* SINK. The sink and surrounding counter shall comply with the following requirements (see Fig. 51):(8) There shall be no sharp or abrasive surfaces under sinks. Hot water and drain pipes under sinks shall be insulated or otherwise covered.	14 Mar 12:30 PM

**Photos**



**#196 - Pipes not covered**

Priority 2 | Scott Reynolds | 2024-3/13 Site Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: accessible 108  
Created 03-13-2024




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	13 Mar 07:43 AM
Alva George	UFAS 4.34.6.5* SINK. The sink and surrounding counter shall comply with the following requirements (see Fig. 51):(8) There shall be no sharp or abrasive surfaces under sinks. Hot water and drain pipes under sinks shall be insulated or otherwise covered.	14 Mar 12:37 PM

Photos




**#200 - Shower control not off set.**  
Priority 2 | Scott Reynolds | 2024-3/13 Site Visit  
Plan: A2.1 - FIRST FLOOR BUILDING PLAN | Location: accessible 111  
Created 03-13-2024




Task messages (time in PDT)


Scott Reynolds	Photo 1	13 Mar 07:58 AM
Scott Reynolds	Photo 2	13 Mar 07:59 AM
Alva George	UFAS 4.34.5.5 SHOWERS. If a shower is provided, it shall have the following features:(4) Controls. Faucets and other controls shall be located as shown in Fig. 37 and shall comply with 4.27.4. In the shower stall in Fig. 35(a), all controls, faucets, and the shower unit shall be mounted on the side wall opposite the seat.	14 Mar 12:49 PM
Alva George	Photo 3	14 Mar 12:50 PM
Alva George	Photo 4	14 Mar 12:51 PM

Photos





**#205 - Needs 5th accessible parking space**  
Priority 2 | Scott Reynolds | 2024-3/13 Site Visit  
Plan: 01. - Accessibility Plan | Location: second row parking lot  
Created 03-13-2024




**Task messages (time in PDT)**

Scott Reynolds	Photo 1	13 Mar 09:28 AM
Alva George	Note the accessible route will take a parking space and the access aisle. Plans show [2] Van Accessible Parking Spaces and two Standard Accessible Parking Spaces.	14 Mar 01:13 PM

**Photos**






ITEM	LEGEND	
	EXISTING	NEW
CURB & GUTTER	---	---
RIGHT OF WAY/PL	---	---
EDGE OF PAVEMENT	---	---
STORM DRAIN LINE	---	---
CURB INLET	---	---
GRATE INLET	---	---
CLEAROUT	---	---
SANITARY SEWER	---	---
SANITARY MANHOLE	---	---
WATER LINE	---	---
PIPE HYDRANT	---	---
VALVES	---	---
GRADE CONTOUR	---	---
FINISH SPOT ELEVATION	---	---
DRAINAGE AREA	---	---
SILT FENCE	---	---
INLET PROTECTION	---	---

- ACCESSIBLE ROUTE - 4.5% MAX RUNNING SLOPE & 1.5% CROSS SLOPE
- ACCESSIBLE ROUTE - 1.5% MAX SLOPE IN ALL DIRECTION
- ACCESSIBLE ROUTE - RAMP


- HANDICAP ACCESS NOTES**
1. ANY CHANGES TO THE ACCESSIBLE ROUTE SHOWN ON THESE PLANS MUST BE APPROVED BY THE ARCHITECT.
  2. ALL HANDICAP PARKING SPACES AND STRIPED ACCESSIBILITY AISLES ARE TO HAVE NO MORE THAN A 1:50 SLOPE IN ALL DIRECTIONS.
  3. ALL SIDEWALKS ARE TO HAVE NO MORE THAN A 1:20 SLOPE FOR THE LENGTH OF THE SIDEWALK AND NO MORE THAN A 1:50 SLOPE FOR THE WIDTH OF THE SIDEWALK.
  4. IF CONTRACTOR NOTICES ANY DISCREPANCIES IN ANY OF THESE SLOPE REQUIREMENTS, IT IS THE CONTRACTOR'S RESPONSIBILITY TO CONTACT THE OWNER PRIOR TO POURING ANY CONCRETE SO THAT A SOLUTION CAN BE FOUND.



SHEET TITLE:		Accessibility Plan	
PROJECT:		Emerald Valley 711 Rural Street, #100 Evergreen, Conecuh County, Alabama 36401	
DESIGNED BY:		CAB	CHECKED BY: CAB
DATE:		3-14-22	FILENAME: 21-504
REV:		REV:	SHEET 3 OF 5




"Not for Regulatory Approval, Permitting or Construction"



**FIRST FLOOR BUILDING PLAN**


SCALE: 3/8"=1'-0"

"Not for Regulatory Approval, Permitting or Construction"



**SECOND FLOOR BUILDING PLAN**  
SCALE: 1/8" = 1'-0"

"Not for Regulatory Approval, Permitting or Construction"



**THIRD FLOOR BUILDING PLAN**  
SCALE: 3/8"=1'-0"

"Not for Regulatory Approval, Permitting or Construction"



Project Name	Number of Units	Proposed Tenancy (senior, family)
Florence Housing Authority / Craver Heights (Cypress Pointe)	149	Family
Florence Housing Authority / Handy Homes	50	Family
Heatherwood 2017, LP	54	
The Grove at Oakmont / Waycross, GA	60	Family
Raintree Apartments, Rainsville, AL	24	Family
The Reserve at Spring Creek	63	Elderly
The Pines at Westdale	180	Family
Brookville Apartments	48	Family
The Preserve at Newport, LP/ Kingsland, GA	72	Family
Lucy Morgan 1, LP / Lucy Morgan Apartments / LaGrange, GA	85	Family
River Palms, El Paso, TX	164	Family
Candlewood Apartments/ Inverness, FL	24	Elderly
Colonial Pines Apartments / Tavares, FL	24	Family
Greenleaf Garden Apartments / Ogrange City, FL (phase 1)	47	Family
Greenleaf Garden Apartments / Ogrange City, FL (phase 2)	30	Family
Inglis Villas / Livingston, AL	32	Family
Misty Woods / Bushnell, FL	42	Elderly
North Grove Apartments / Seffner, FL	31	Elderly
North Grove Apartments / Hillsborough County, FL	32	Elderly
Colonel McGhee Housing / Hamlin, WV	16	Elderly
Mississippi Regional Hsg Auth No. V / Phase 2, Union and Decatur, MS	6	Elderly
Mississippi Regional Hsg Auth No. V / Phase 5, Taylorsville & Bay Springs, MS	5	Elderly
Mississippi Regional Hsg Auth No. V / Phase 4, DeKalb, Scooba, Macon & Brooksville, MS	4	Elderly
Mississippi Regional Hsg Auth No. V / Phase 3, Carthage, Walnut Grove & Philadelphia, MS	10	Elderly
Arbor Place of Lisle / Lisle, IL	80	Elderly
Mokena Senior Living / Mokena, IL	156	Elderly
2101 Church Street / Galveston, TX	89	Elderly
Bessemer Housing Authority / Bessemer, AL (Phases 1,2,3) Rehab	1072	Family
2 Gold Street, LLC, New York, NY	50	Family
Houston Levee / Cordova, TN	103	Family

Source of Financing	Gov Assisted funding
Conventional, LIHTC	No
Conventional, LIHTC	No
Federal, LIHTC	Yes
Federal, LIHTC	Yes
Federal, LIHTC	Yes
LIHTC, Federal	Yes
LIHTC, Federal	Yes
LIHTC	No
LIHTC / HOME	Yes
LIHTC / HOME	Yes
Conventional	No
RD/ LIHTC	Yes
RD/ LIHTC	Yes
RD/ LIHTC	Yes
RD/ LIHTC	Yes
RD/ LIHTC	Yes
RD/ LIHTC	Yes
RD/ LIHTC	Yes
RD/ LIHTC	Yes
HUD / Section 8	Yes
HUD / Section 8	Yes
HUD / Section 8	Yes
HUD / Section 8	Yes
HUD / Section 8	Yes
Federal, LIHTC / CDBG/ HOME/ IHDA	Yes
Conventional	No
Federal, LIHTC	Yes
HUD / Section 8 / Public Housing	Yes
Conventional	No
Conventional	No